



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product

37636 - Gentamicin Sulphate (GM) - [1405-41-0]

Batch No

1616728

Analysis Date

18-May-2025

Date of Manufacture

May 2025

Expiry Date/Re-Test Date

May 2030

Molecular Formula

C₂₁H₄₃N₅O₇·H₂SO₄

Molecular Weight

575.67

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to Off white to Buff	Buff
Appearance (Form)	Powder	Powder
Assay	min. 590 µg/mg	657 µg/mg
pH (5% aq. solution)	3.5 - 5.5	4.3
Specific rotation [α]	+107° to +121° (C=10 , Water)	+107.43°
Loss on drying	max. 15%	4.9%
IR Identification Test	Passes test	Passes
Not for medicinal use	.	

FRM/82/11/4/37636 Rev No. 2 Date 13/01/2022

Prepared by Dnyaneshwar

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

an ISO 9001-2015, 17025:2017, CE, GMP Certified Company