



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product

**82010 - Butylated Hydroxytoluene (BHT) ExiPlus,
Multi-Compdial, 99% - [128-37-0]**

Batch No

5712315

Analysis Date

11-Jun-2023

Date of Manufacture

June 2023

Expiry Date/Re-Test Date

June 2028

Molecular Formula

C₁₅H₂₄O

Molecular Weight

220.35

Test Parameters**Standards****Actual Results**

ExiPlus

meets compendial specs of BP

Passes

Appearance (Colour)

White to pale yellow

White

Appearance (Form)

Crystalline powder

Crystalline powder

Solubility (Turbidity) 10%
solution in methanol

Clear

Clear

Assay (GC)

min. 99%

99.9%

Melting Point

68 - 71°C

69.9°C

FRM/82/11/4/82010 Rev No. 2 Date 12/11/2017

Prepared by **Prajakta**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

an ISO 9001:2015, 17025:2017, CE, GMP Certified Company

This COA has been generated electronically and it is valid without signature.